Supplemental Materials

Table 1A. Sensitivity analyses restricting sample to those 19 and older.

	Unadir	ısted (Bivariate)	Adjusted (Multivariate) Logistic Regression ^b						
Variable	•	tic Regression		Perinatal Models eparately	Parental/Perinatal Models Combined				
	OR	[95% CI]	AOR	[95% CI]	AOR	[95% CI]			
Parental Risk Factors									
Age of mother at delivery <25 yrs ^a	1.44	[1.18, 1.74]	1.12	[0.88, 1.42]	-	-			
Age of father at delivery <25 yrs ^a	1.64	[1.30, 2.06]	1.37	[1.04, 1.81]	1.38	[1.08, 1.76]			
Highest parental education	0.83	[0.71, 0.98]	0.81	[0.68, 0.96]	0.79	[0.66, 0.94]			
Any parental violent conviction	2.26	[1.73, 2.96]	2.43	[1.77, 3.33]	2.65	[1.94, 3.61]			
Any parental psychiatric disorder	1.98	[1.14, 3.45]	1.26	[0.64, 2.51]	-	-			
Any parental substance use disorder	2.65	[1.43, 4.89]	1.17	[0.54, 2.54]	-	-			
Any parental suicide attempt	2.60	[1.30, 5.24]	1.54	[0.66, 3.62]	-	-			
Perinatal Risk Factors									
No. of older full brothers	0.74	[0.62, 0.88]	0.74	[0.62, 0.89]	0.79	[0.65, 0.95]			
Low Apgar (< 7 at 5 min)	0.60	[0.21, 1.69]	-	-	-	-			
Birth weight (< 2,500 g)	0.88	[0.52, 1.47]	-	-	-	-			
SGA	1.73	[1.12, 2.68]	1.64	[1.05, 2.56]	1.65	[0.99, 2.75]			
Any congenital malformation	1.65	[1.16, 2.35]	1.64	[1.14, 2.36]	1.81	[1.24, 2.64]			
Head circumference (≤ 33 cm)	1.15	[0.91, 1.45]	-	-	-	-			

Table 2A. Sensitivity analyses, restricting analyses to those who are 19 or older by CSEM type.

	CSEM-Exclusive Offenders							Mixed CSEM Offenders						
	Ur	nadjusted	Adjı	Adjusted (Multivariate) Logistic Regression ^b				divatad	Adjusted (Multivariate) Logistic Regression ^b					
Variable	(Bivariate) Logistic Regression			Parental/Perinatal Models Separately				Unadjusted - (Bivariate) Logistic Regression		al Madale		Parental/Perinatal Models Combined		
	OR	[95% CI]	AOR	[95% CI]	AOR	[95% CI]	OR	[95% CI]	AO R	[95% CI]	AO R	[95% CI]		
Parental Risk Factors														
Age of mother at delivery <25	1.36	[1.07, 1.73]	1.10	[0.82, 1.50]		-	1.59	[1.14, 2.20]	1.23	[0.84,				
yrs ^a	1.30	[1.07, 1.73]			_					1.82]	-	-		
Age of father at delivery <25 yrs ^a	1.59	[1.20, 2.11]	1.40	[0.98, 1.99]	-	-	1.72	[1.17, 2.54] 1.39	[0.89, 2.18	3] -	-		
Highest parental education	0.86	[0.71, 1.05]	-	-	-	-	0.78	[0.59, 1.02] -	-	-	-		
Any parental violent conviction	1.89	[1.35, 2.65]	2.07	[1.38, 3.10]	2.52	[1.74, 3.64]	3.17	[2.03, 4.96] 3.41	[2.09, 5.58	8] 4.18	[2.57, 6.80]		
Any parental psychiatric disorder	2.67	[1.41, 5.08]	1.46	[0.65, 3.27]	-	-	0.88	[0.26, 3.01] -	-	-	-		
Any parental substance use	2.24	[1.56, 6.75]	1.49	[0.58, 3.79]		-	1.69	[0.53, 5.36]] -	-		-		
disorder	3.24				-						-			
Any parental suicide attempt	2.63	[1.22, 5.65]	1.40	[0.53, 3.70]	-	-	2.50	[0.46, 13.6] -	-	-	-		
Perinatal Risk Factors														
		[0.65,												
No. of older full brothers	0.80	0.98]	0.80	[0.64, 0.98]	0.82	[0.67, 1.01]	0.64	[0.47, 0.88] 0.64	[0.46, 0.88	8] 0.63	[0.46, 0.88]		

Table 2A continues.

Table 2A Continued.

	CSEM-Exclusive Offenders							Mixed CSEM Offenders						
Variable	U	nadjusted	Adjusted (Multivariate) Logistic Regression ^b				Unadjusted		Adjusted (Multivariate) Logistic Regression ^b					
	•	riate) Logistic Regression	Parental/Perinatal Models Separately		Parental/Perin atal Models Combined		(Bivariate) Logistic Regression			tal/Perinatal ls Separately	Parental/Perinatal Models Combined			
	OR	[95% CI]	AOR	[95% CI]	AO R	[95% CI]	OR	[95% CI]	AOR	[95% CI]	AO R	[95% CI]		
Low Apgar (< 7 at 5 min)	0.55	[0.13, 2.40]	-	-	-	-	0.64	[0.15, 2.83]	-	-	-	-		
Birth weight < 2,500 g	1.07	[0.57, 1.98]	-	-	-	-	0.61	[0.24, 1.56]	-	-	-	-		
SGA	1.78	[1.001, 3.16]	1.77	[0.98, 3.19]	-	-	1.68	[0.86, 3.28]	-	-	-	-		
Any congenital malformation	1.40	[0.88, 2.24]	-	-	-	-	2.10	[1.22, 3.60]	1.98	[1.14, 3.42]	2.15	[1.23, 3.76]		
Head														
circumference	1.01	[0.75, 1.36]	-	-	-	-	1.41	[0.98, 2.03]	-	-	-	-		
≤ 33 cm														